

# ASTR702

## Midterm 2 Review Topics

### Equations to memorize

$$P = K\rho^\gamma, \quad (1)$$

with  $\gamma = 1 + 1/n$  and different values of  $K$  for different equations of state.

Lane-Emden is below, but I expect you to know

$$\rho = \rho_c \theta^n \quad (2)$$

$$\xi = r/\alpha. \quad (3)$$

### Equations I would give you

$$\frac{1}{\xi^2} \frac{d}{d\xi} \left( \xi^2 \frac{d\theta}{d\xi} \right) = -\theta^n. \quad (4)$$

$$\left| \frac{dT}{dr} \right|_* < \left( \frac{\gamma_a - 1}{\gamma_a} \right) \frac{T}{P} \left| \frac{dP}{dr} \right|_* \quad (5)$$

$$M_{\text{Ch}} = \frac{M_3 \sqrt{1.5}}{4\pi} \left( \frac{hc}{Gm_H^{4/3}} \right)^{3/2} \mu_e^{-2} = 5.83 \mu_e^{-2} M_\odot \quad (6)$$

$$L < \frac{4\pi cGM}{\kappa} \quad (7)$$

$$M_J = \left( \frac{5kT}{G\mu} \right)^{3/2} \left( \frac{3}{4\pi\rho} \right)^{1/2} \quad (8)$$

$$R_J = \sqrt{\frac{15kT}{4\pi G\mu\rho}}. \quad (9)$$

# Topics

## Stellar Models

Polytropic models with values for  $\gamma$  and  $n$   
Lane-Emden relation  
Chandrasekhar mass  
Eddington luminosity

## Stellar Stability

Dynamical Equilibrium  
Thermal Equilibrium  
When do we have instabilities?  
Convection and when it dominates over radiation

## Stellar Evolution

Star Formation process  
Jeans radius and mass from hydrostatic equilibrium and Virial  
Bonner-Ebert spheres  
Hayashi tracks  
The initial mass function  
Main sequence evolution  
Post-main sequence evolution for  $> 8$  and  $< 8 M_{\odot}$  stars including elements produced and tracks on H-R diagram